

Measures and Domains - CY 2013

ANNUAL PROFILING MEASURE		MEASURE DESCRIPTION	MEASURE SOURCE	ABBREVIATION or MEASURE NUMBER	PCMH MEASURE
Access/Availability of Care					
1	Adults' Access to Preventive/Ambulatory Health Services	The percentage of members 20 years or older who had an ambulatory or preventive care visit.	HEDIS	AAP	
2	Alcohol or Drug Dependency Treatment - Initiation	The percentage of adolescent and adult members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter or partial hospitalization within 14 days of diagnosis.	HEDIS	IET	
3	Alcohol or Drug Dependency Treatment - Engagement	The percentage of adolescent and adult members who initiated treatment and who had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit.	HEDIS	IET	
4	Annual Dental Visit	The percentage of members 2-21 years of age who had at least one dental visit during the measurement year.	HEDIS	ADV	X
5	Children and Adolescent's Access to Primary Care Practitioners	The percentage of members 12 months-19 years of age who had a visit with a PCP.	HEDIS	CAP	
Effectiveness of Care - Behavioral Health					
6	Antidepressant Medication Management - Acute Phase	The percentage of members 18 years of age and older newly diagnosed and treated for major depression and who remained on antidepressant medication for at least 84 days (12 weeks).	HEDIS	AMM	
7	Antidepressant Medication Management - Continuation Phase	The percentage of members 18 years of age and older newly diagnosed and treated for major depression and who remained on antidepressant medication for at least 180 days (6 months).	HEDIS	AMM	
8	Follow-Up After Hospitalization for Mental Illness - Within 30 Days	The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner, and who received follow-up within 30 days of discharge.	HEDIS	FUH	
9	Follow-Up After Hospitalization for Mental Illness - Within 7 Days	The percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter or partial hospitalization with a mental health practitioner, and who received follow-up within 7 days of discharge.	HEDIS	FUH	
10	Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	The percentage of members 6-12 years of age newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had one follow-up visit with a practitioner within 30 days of when the first ADHD medication was dispensed.	HEDIS	ADD	
11	Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	The percentage of members 6-12 years of age newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least two follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended, and who remained on the medication for at least 210 days.	HEDIS	ADD	
12	Follow-Up within 30 Days After New Behavioral Health Diagnosis and Rx	The percentage of adults who were given a new behavioral health diagnosis and medication by a PCP who received a follow-up visit within 30 days.	DSS Custom Measure		X

Measures and Domains - CY 2013

ANNUAL PROFILING MEASURE		MEASURE DESCRIPTION	MEASURE SOURCE	ABBREVIATION or MEASURE NUMBER	PCMH MEASURE
Effectiveness of Care - Cardiovascular Conditions					
13	Persistence of Beta-Blocker Treatment After a Heart Attack	The percentage of members 18 years of age and older during the measurement year who were hospitalized and discharged alive from July 1 of the year prior to the measurement year to June 30 of the measurement year with a diagnosis of AMI and who received persistent beta-blocker treatment for 6 months after discharge.	HEDIS	PBH	
Effectiveness of Care - Medication Management					
14	Annual Monitoring for Patients on Persistent Medications	The percentage of members 18 years of age and older who received at least 180 treatment days of ambulatory medication therapy for a select therapeutic agent (ACE/ARB, digoxin, diuretics, anticonvulsants) during the measurement year and at least one therapeutic monitoring event for the therapeutic agent in the measurement year.	HEDIS	MPM	
Effectiveness of Care - Musculoskeletal Conditions					
15	Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis	The percentage of members 18 years of age and older as of December 31 of the measurement year who were diagnosed with rheumatoid arthritis and who were dispensed at least one ambulatory prescription for a disease-modifying anti-rheumatic drug.	HEDIS	ART	
Effectiveness of Care - Prevention and Screening					
16	Breast Cancer Screening	The percentage of women 40-69 years of age as of December 31 of the measurement year who had a mammogram to screen for breast cancer.	HEDIS	BCS	
17	Chlamydia Screening in Women	The percentage of women 16-24 years of age as of December 31 of the measurement year who were identified as sexually active and who had at least one test for chlamydia during the measurement year.	HEDIS	CHL	
18	Developmental Screening In the First Three Years of Life	The percentage of children screened for risk of developmental, behavioral, and social delays using a standardized screening tool in the 12 months preceding their first, second, or third birthday.	CHIPRA	#8	X
19	Post-Admission Follow-Up Within Seven Days of an Inpatient Discharge	Percentage of adults age 21-75 with inpatient "medicine" admissions with a claim for post-admission follow-up with a physician, PA, or APRN within 7 days of the inpatient discharge. A "medicine" admission is any admission including behavioral health that is not surgical or maternity related.	DSS Custom Measure		X
Effectiveness of Care - Respiratory Conditions					
20	Asthma Patients with One or More Asthma-Related Emergency Room Visits ¹	Annual Percentage of Asthma Patients (2-20) with One or More Asthma Related Emergency Room Visits.	DSS Custom Measure based on CHIPRA	#20	X
21	Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis ²	The percentage of adults 18-64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription.	HEDIS	AAB	
22	Medication Management for People with Asthma ²	The percentage of members 5-64 years of age during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on during the treatment period.	HEDIS	MMA	

Measures and Domains - CY 2013

ANNUAL PROFILING MEASURE		MEASURE DESCRIPTION	MEASURE SOURCE	ABBREVIATION or MEASURE NUMBER	PCMH MEASURE
23	Pharmacotherapy Management of COPD Exacerbation - Systemic Corticosteroid	The percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED encounter on or between January 1-November 30 of the measurement year and who were dispensed a systemic corticosteroid within 14 days of the event.	HEDIS	PCE	
24	Pharmacotherapy Management of COPD Exacerbation - Bronchodilator	The percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED encounter on or between January 1-November 30 of the measurement year and who were dispensed a bronchodilator within 30 days of the event.	HEDIS	PCE	
25	Use of Appropriate Medications for People With Asthma	The percentage of members 5-64 years of age during the measurement year who were identified as having persistent asthma and who were appropriately prescribed medication during the measurement year.	HEDIS	ASM	X
26	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	The percentage of members 40 years of age and older with a new diagnosis of COPD or newly active COPD, who received appropriate spirometry testing to confirm the diagnosis.	HEDIS	SPR	
Utilization					
27	Ambulatory Care - ED Visits per 1000 MM ¹ (PCMH measure is 0-19 years of age for children and 20 and older)	The rate of ED visits per 1000 member months among all HEDIS age groups. Does not include behavioral health or chemical dependency services.	HEDIS	AMB	X
28	Readmissions within 30 Days ¹	The percentage of hospital readmissions within 30 days of discharge. Includes both physical and behavioral health.	DSS Custom Measure		X
HYBRID MEASURES		MEASURE DESCRIPTION	MEASURE SOURCE	ABBREVIATION	PCMH MEASURE
Effectiveness of Care - Cardiovascular Conditions					
29	Cholesterol Management for Patients With Cardiovascular Conditions - LDL Screening ³	The percentage of members 18-75 years of age who were discharged alive for AMI, coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) from January 1-November 1 of the year prior to the measurement year, or who had a diagnosis of ischemic vascular disease (IVD) during the measurement year and the year prior to the measurement year, who had an LDL-C screening during the measurement year.	HEDIS	CMC	X
Effectiveness of Care - Diabetes					
30	Comprehensive Diabetes Care - Eye Exam ³	The percentage of members 18-75 years of age with diabetes (type 1 and type 2) who had an eye screening for diabetic retinal disease. This includes diabetics who had one of the following: a retinal or dilated eye exam by an eye care professional in the measurement year, or a negative retinal or dilated eye exam by an eye care professional in the year prior to the measurement year.	HEDIS	CDC	X
31	Comprehensive Diabetes Care - LDL Screening ³	The percentage of members 18-75 years of age with diabetes (type 1 and type 2) who had an LDL-C screening test performed during the measurement year.	HEDIS	CDC	X

Measures and Domains - CY 2013

ANNUAL PROFILING MEASURE	MEASURE DESCRIPTION	MEASURE SOURCE	ABBREVIATION or MEASURE NUMBER	PCMH MEASURE	
Effectiveness of Care - Prevention and Screening					
32	Cervical Cancer Screening ³	The percentage of women 21-64 years of age as of December 31 of the measurement year who received one or more Pap tests to screen for cervical cancer.	HEDIS	CCS	
33	Lead Screening in Children ³	The percentage of children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning by their second birthday.	HEDIS	LSC	
Utilization					
34	Well-Child Visits in the First 15 Months of Life - 6 or More Visits ³	The percentage of members who turned 15 months old during the measurement year and who had 6 or more well-child visits with a PCP during their first 15 months of life.	HEDIS	W15	X
35	Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life ³	The percentage of members 3-6 years of age who had one or more well-child visits with a PCP during the measurement year.	HEDIS	W34	X
36	Adolescent Well Care ³	The percentage of enrolled members 12-21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	HEDIS	AWC	X

¹ Lower rate indicates a better result

² New measure added for reporting year 2014 (Measurement Year (MY) 2013)

³ Hybrid measures: measure is reported using the hybrid methodology that includes administrative claims data in addition to medical record review for reporting statewide results only. For all other profile results the measure results are reported using only administrative data