

Summary

[Created by iMMRS from JEN Associates Inc.](#)

| | |
|---------------------------|--|
| Title | CT Physically Disabled Adult PCC Type CY 2010 |
| Created by | Daniel Gilden |
| Created by | Daniel Gilden |
| Created on | 26Apr2012 15:56 |
| Data Summarization | CT Dual PopDat 2007-2010 Riskcluster 10Mar2012 16:42 |
| DUA Number | 21665 |
| DUA Title | CT MCD 2007-2010 |
| Overall Query | Calendar Year = 2010 and Medicaid Eligibility Basis one of Elderly,Blind/Disabled,Families/Children and Medicare A-B = Parts A and B and Medicare HMO = No Medicare HMO and Calendar Year = 2010 |
| Data Sheet 1 | Cluster PCC Type vs. Population Count:Community Other,Population Count:Community LTC,Population Count:Nursing |
| Additional Query | Age bands(3 levels) based on age at end of year = 20-64 and Physical Disability = Yes |

Summary

Home,Population Count:Waiver

Data Sheet 1

| Cluster PCC Type | Community Other | Community LTC | Nursing Home | Community Waiver | Total |
|---------------------------|-----------------|---------------|--------------|------------------|--------|
| No PCC | 437 | 24 | 33 | 45 | 539 |
| MD - GP | 5,178 | 911 | 946 | 991 | 8,026 |
| MD - Geriatrician | - | - | 12 | - | 12 |
| MD - Multi Specialty Clin | 63 | - | - | 22 | 85 |
| MD - Psychiatrist | 127 | 11 | 11 | 23 | 172 |
| Outpatient Clinic | 2,001 | 248 | 46 | 211 | 2,506 |
| Total | 7,806 | 1,194 | 1,048 | 1,292 | 11,340 |

Data Dictionary

| Id | Column | Description | Value |
|-------------|------------------|---|--------------|
| func_pcctyp | Cluster PCC Type | Code File Flag for Provider Cluster Linkage | |
| popcnt | Population Count | Column Filter : January LTC Status = Community Other Number of unique individuals in a population. If the population is aggregated over a series of sub-populations or groups that are not mutually exclusive, double-counting would otherwise occur. iMMRS automatically adjusts for such duplications and generates a count of unique individuals. In these counts, each individual is assigned their earliest observed values in the study period. However, double-counting can still occur if population totals are performed apart from iMMRS, for example in Excel spreadsheets. | |

Value Label