

## Summary

[Created by iMMRS from JEN Associates Inc.](#)

<b>Title</b>	CT All Adult Disabled PCC Type CY 2010
<b>Created by</b>	Daniel Gildea
<b>Created by</b>	Daniel Gildea
<b>Created on</b>	26Apr2012 16:10
<b>Data Summarization</b>	CT Dual PopDat 2007-2010 Riskcluster 10Mar2012 16:42
<b>DUA Number</b>	21665
<b>DUA Title</b>	CT MCD 2007-2010
<b>Overall Query</b>	Calendar Year = 2010 and Medicaid Eligibility Basis one of Elderly,Blind/Disabled,Families/Children and Medicare A-B = Parts A and B and Medicare HMO = No Medicare HMO and Calendar Year = 2010
<b>Data Sheet 1</b>	Cluster PCC Type vs. Population Count:Community Other,Population Count:Community LTC,Population Count:Nursing
<b>Additional Query</b>	Age bands( 3 levels) based on age at end of year = 20-64

Summary

Home,Population Count:Waiver

Data Sheet 1

<b>Cluster PCC Type</b>	Community Other	Community LTC	Nursing Home	Community Waiver	Total
No PCC	2,604	121	140	600	3,465
MD - GP	11,177	1,859	2,228	4,464	19,728
MD - Geriatrician	13	-	29	36	78
MD - Multi Specialty Clin	246	31	-	80	357
MD - Psychiatrist	761	136	77	215	1,189
Outpatient Clinic	5,285	722	120	1,042	7,169
Total	20,086	2,869	2,594	6,437	31,986

## Data Dictionary

<b>Id</b>	<b>Column</b>	<b>Description</b>	<b>Value</b>
func_pcctyp	Cluster PCC Type	Code File Flag for Provider Cluster Linkage	
popcnt	Population Count	Column Filter : January LTC Status = Community Other Number of unique individuals in a population. If the population is aggregated over a series of sub-populations or groups that are not mutually exclusive, double-counting would otherwise occur. iMMRS automatically adjusts for such duplications and generates a count of unique individuals. In these counts, each individual is assigned their earliest observed values in the study period. However, double-counting can still occur if population totals are performed apart from iMMRS, for example in Excel spreadsheets.	

**Value Label**