

Summary

[Created by iMMRS from JEN Associates Inc.](#)

Title	CT SMI PCC Types CY 2010
Created by	Daniel Gildea
Created by	Daniel Gildea
Created on	26Apr2012 16:08
Data Summarization	CT Dual PopDat 2007-2010 Riskcluster 10Mar2012 16:42
DUA Number	21665
DUA Title	CT MCD 2007-2010
Overall Query	Calendar Year = 2010 and Medicaid Eligibility Basis one of Elderly,Blind/Disabled,Families/Children and Medicare A-B = Parts A and B and Medicare HMO = No Medicare HMO and Calendar Year = 2010
Data Sheet 1	Cluster PCC Type vs. Population Count:Community Other,Population Count:Community LTC,Population Count:Nursing
Additional Query	Age bands(3 levels) based on age at end of year = 20-64 and SMI Dx Annual Flag = Yes

Summary

Home,Population Count:Waiver

Data Sheet 1

Cluster PCC Type	Community Other	Community LTC	Nursing Home	Community Waiver	Total
No PCC	378	71	15	75	539
MD - GP	5,308	1,273	1,274	2,033	9,888
MD - Geriatrician	-	-	13	17	30
MD - Multi Specialty Clin	217	30	-	77	324
MD - Psychiatrist	722	132	42	191	1,087
Outpatient Clinic	2,768	562	65	684	4,079
Total	9,393	2,068	1,409	3,077	15,947

Data Dictionary

Id	Column	Description	Value
func_pcctype	Cluster PCC Type	Code File Flag for Provider Cluster Linkage	
popcnt	Population Count	Column Filter : January LTC Status = Community Other Number of unique individuals in a population. If the population is aggregated over a series of sub-populations or groups that are not mutually exclusive, double-counting would otherwise occur. iMMRS automatically adjusts for such duplications and generates a count of unique individuals. In these counts, each individual is assigned their earliest observed values in the study period. However, double-counting can still occur if population totals are performed apart from iMMRS, for example in Excel spreadsheets.	

Value Label