

Summary

[Created by iMMRS from JEN Associates Inc.](#)

Title	Aged PCC Types CY 2010
Created by	Daniel Gilden
Created by	Daniel Gilden
Created on	26Apr2012 15:14
Data Summarization	CT Dual PopDat 2007-2010 Riskcluster 10Mar2012 16:42
DUA Number	21665
DUA Title	CT MCD 2007-2010
Overall Query	Calendar Year = 2010 and Medicaid Eligibility Basis one of Elderly,Blind/Disabled,Families/Children a Medicare A-B = Parts A and B and Medicare HMO = No Medicare HMO and Calendar Year = 2010
Data Sheet 1	Cluster PCC Type vs. Population Count:Community Other,Population Cou
Additional Query	Age bands(3 levels) based on age at end of year = 65+

Summary

nd

nt:Community LTC,Population Count:Nursing Home,Population Count:Waiver

Data Sheet 1

Cluster PCC Type	Community Other	Community LTC	Nursing Home
No PCC	1,620	306	508
MD - GP	10,144	6,789	14,854
MD - Geriatrician	120	107	723
MD - Multi Specialty Clinic	17	-	-
MD - Psychiatrist	49	39	212
Outpatient Clinic	2,283	703	229
Total	14,233	7,944	16,526

Data Sheet 1

Community Waiver	Total
21	2,455
575	32,362
11	961
-	17
-	300
63	3,278
670	39,373

Data Dictionary

Id	Column	Description	Value
func_pcctyp	Cluster PCC Type	Code File Flag for Provider Cluster Linkage	
popcnt	Population Count	Column Filter : January LTC Status = Community Other Number of unique individuals in a population. If the population is aggregated over a series of sub-populations or groups that are not mutually exclusive, double-counting would otherwise occur. iMMRS automatically adjusts for such duplications and generates a count of unique individuals. In these counts, each individual is assigned their earliest observed values in the study period. However, double-counting can still occur if population totals are performed apart from iMMRS, for example in Excel spreadsheets.	

Value Label